# 7TM Antibodies

# Data Sheet (DS) 7TM0069A

### Issuing Date: 2022-08-16

| Description  | pT347-CXCR2 (phospho-CXC Chemokine Receptor 2 |  |
|--------------|---|--|
|              | Antibody)                                     |  |
| Format       | Purified, Liquid                              |  |
| Product Type | Rabbit Polyclonal Antibody                    |  |
| Isotype      | Polyclonal IgG                                |  |
| Quantity     | 100 µl  |  |

### Product Details

| Applications   | This product has been reported to work in the following applications:   |          |  |
|----------------|---|----------|--|
|                |   | Dilution |  |
|                | Western Blot  | 1:1000   |  |
|                | This information is derived from testing within our laboratories and peer-<br>reviewed publications. Please refer to references indicated for further<br>information. For general protocol recommendations, please visit<br><u>https://7tmantibodies.com/7tm-antibodies-support/7tm-protocols/</u><br>Suggested working dilutions are given as a guide only. It is<br>recommended that the user titrates the product for use in their own<br>system using appropriate negative/positive controls. |          |  |
| Target Species | Human, Mouse  |          |  |
| Product Form   | Purified IgG, liquid  |          |  |
| Antiserum      | Antiserum to CXC Chemokin Receptor 2 was raised by repeated   |          |  |
| Preparation    | immunization of rabbits with highly purified antigen. Purified IgG was  |          |  |
|                | prepared from whole serum by affinit  |          |  |
| Immunogen      | A synthetic phosphopeptide derived from human CXCR2 around the phosphorylation site of Thr347.  |          |  |
| Storage Buffer | Dulbecco's PBS, pH 7.4, with 150 mM NaCl, 0.02% sodium azide  |          |  |
| Specificity    | Threonine347 (T347) is a major phosphorylation site of the CXCR2 receptor. The pT347-CXCR2 antibody detects phosphorylation in response to high- and low-efficacy agonists but not after PKC activation. T347 phosphorylation is a key regulator of CXCR2 desensitization, $\beta$ -arrestin recruitment and internalization.   |          |  |
| Guarantee      | 12 months from date of dispatch   |          |  |
| Storage        | Store at -20°C.   |          |  |
|                | This product should be stored undilut thawing as this may denature the ant  |          |  |
| Regulatory     | For research purposes only  |          |  |

| Health and<br>Safety<br>Information | Material Safety Data Sheet documentation is available at <u>https://7tmantibodies.com/phosphosite-7tm-antibodies/chemokine-</u> receptors/cxcr2/309/pt347-cxcr2-phospho-cxc-chemokine-receptor-2- |  |
|-------------------------------------|---|--|
|                                     | antibody?c=764 in the downloads section as:<br>Safety Data Sheet EU<br>Safety Data Sheet US   |  |

# **Related Products**

pS351/pS352-CXCR2 (phospho-CXC Chemokine Receptor 2 Antibody)

pS353/pT356-CXCR2 (phospho-CXC Chemokine Receptor 2 Antibody)

# Details of the Supplier of the Data Sheet

# Supplier

7TM Antibodies GmbH

Hans-Knöll-Str. 6

07745 Jena – Germany

TEL: ++49 151 20130575

FAX: ++49 3641 241 49 58

Email: info@7tmantibodies.com

Website: 7tmantibodies.com